



FEIN



ASCD 18-200 W4 AS

Cordless Impact Driver

Up to max. 1859 in/lbs with brushless motor and 6 torque settings. For universal screw applications including self-drilling screws.

Product number: 7 115 11 61 09 0

Details

- + Extreme precision: the ASCD 18-200 W4 AS with 6 electronic torque settings.
- + Brushless FEIN PowerDrive motor with 30% greater efficiency and life.
- + 1/4" hexagonal tool mount.
- + 10% higher torque in reverse.
- + Robust, solid metal impact gearbox.
- + Compact design.
- + Drives up to 700 11/16" [M18] screws with one battery charge (CORE 18 V 4 Ah).
- + Comes with a magnetic bit holder and belt clip.
- + Compatible with Bosch Professional 18 V storage batteries since 2008 and AMPShare storage batteries.
- + COOLPACK 2.0 technology ensures a 135% longer battery service life, enabling longer operation time.
- + State-of-the-art cell technology and intelligent battery management deliver 87% more power than conventional batteries.
- + CORE 18 V Li-ion battery with Highpower cells, charge indicator and electronic cell protection (ECP). ECP protects batteries against overloading, overheating and deep discharge.
- + Perfectly equipped for any job with our L-BOXX system.

Price includes

- + 1 belt clip
- + 1 magnetic bit holder
- + 1 tool case (L-BOXX 136)

Technical data

TECHNICAL DATA

Battery voltage

18 V

Battery compatibility

Li-ion / CORE 18 V Li-ions

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA
Measurement uncertainty of the measured value KpA

96,1 dB
3 dB

Sound power level LWA

104,1 dB

Measurement uncertainty of the



FEIN

Battery interface	18 V AMPShare	measured value KWA	3 dB
Motor	brushless	Peak sound value LpCpeak	118,1 dB
No load speed	0 - 1 500 rpm	Measurement uncertainty of the measured value KpCpeak	3 dB
Impacts per minute	0 - 3 000 rpm	Vibration value 1 α_{hv} 3- way	α_h 13,4 m/s ²
Max. torque	1859 [210] in/lbs[Nm]	Measurement uncertainty of the measured value K α	1,5 m/s ²
Torque steps	6		
Tool mount	1/4 in Hexagon socket		
Wood screw dia.	3/8 [8] x 7-7/8 [200] in[mm]		
Weight without battery	2.65 [1.20] lbs[kg]		

Application examples



Compatible with
AMPShare/Bosch
Professional
18 V batteries. |

Compatible avec les batteries 18 V
AMPShare/Bosch Professional. |
Compatible con baterías AMPShare/
Bosch Professional de 18 V.



